

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/16, 5/445	A1	(11) International Publication Number: WO 99/35843 (43) International Publication Date: 15 July 1999 (15.07.99)
(21) International Application Number: PCT/US99/00113 (22) International Filing Date: 5 January 1999 (05.01.99) (30) Priority Data: 09/002,944 5 January 1998 (05.01.98) US (71) Applicant: AMIGA DEVELOPMENT LLC [US/US]; 600 North Derby Lane, North Sioux City, SD 57049 (US). (72) Inventors: WUGOFSKI, Theodore, D.; 4828 Overton Hollow, Fort Worth, TX 76109 (US). SMITH, Kim, C.; 4012 Ramsgate Court, Colleyville, TX 76034 (US). (74) Agent: VIKSNINS, Ann, S.; Schwegman, Lundberg, Woessner & Kluth, P.O. Box 2938, Minneapolis, MN 55402 (US).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: INTERNET SOURCE INTO TV PROGRAM DATABASE

(57) Abstract

A computerized system for integrating Internet sources and television sources in a convergence system is disclosed. In one embodiment of the invention, the system integrates both television channels and internet channels in a single list of channels available on the system. The lists of channels are stored in an electronic program database. The system solves the problem of managing multiple channels from multiple sources by seamlessly integrating channels from the television with channels from the internet in a single channel list.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNET SOURCE INTO TV PROGRAM DATABASE

Related Applications

This application is related to the co-assigned and co-filed applications, "Method for
5 managing multiple channel maps from multiple input devices in a multimedia system,"
"System for time-shifting events in a multi-channel convergence system," "Method and
system for associating web sites to television programs," "Individualized parameter
control for multiple media sources in a data processing system," "System for scheduled
caching of in-band data services," and "System for combining electronic program guide
10 data," all of which are hereby incorporated by reference.

Field of the Invention

The present invention relates generally to convergence systems and more specifically
to integrating internet sources into an electronic program database list in such systems.

15

Background of the Invention

A convergence system refers to a system that includes capabilities that otherwise are
provided by separate systems. For example, a Gateway Destination PC/TV system,
available from Gateway 2000, Inc., provides for both computer and television
20 capability. Rather than requiring users to have a separate television and a separate
computer, convergence systems such as the Destination PC/TV system permit users to

utilize both television and computer capability within a single system. Multiple devices are brought together in the single system which typically makes use of one display. For example, at a basic level, users of a convergence system may alternate between a television environment and a computer environment on the same display. The
5 television environment may, for example, include radio-frequency, satellite, cable, or digital television. The computing environment may, in addition to running computer programs, access a wide area network such as the Internet.

The multitude of television channels coupled with the multitude of internet channels accessible in a convergence system can be overwhelming to users. Managing the many
10 channels and events available from the different sources is inconvenient and often difficult for users. The problem with multiple channels and sources in convergence systems is that present systems are unable to include both television channels and internet channels in a single user interface. For example, a PBS station can be available on a TV channel and on a cable channel as well as on a PBS internet web site.
15 However, present systems cannot include these three PBS channels in a single channel list because present systems are unable to include both television channels and internet channels in a single user interface. In order for a convergence system to be truly useful to the user, the convergence system must be able to seamlessly combine channels from the television with channels from the internet in a single environment.

20

Summary of the Invention

The above-identified shortcomings as well as other shortcomings are addressed by the present invention, which will be understood by reading and studying the following specification.

5 The invention describes a convergence system which integrates both television channels and internet channels in a single list of channels available on the system. The list of channels is stored in an electronic program database. By integrating channels from the television with channels from the internet in the single channel list, the system solves the problem of managing multiple channels from multiple sources. Thus, the
10 invention increases the usefulness of the convergence system.

 In different embodiments of the invention, computers, computerized systems, and computer-readable media of varying scope are described. Still other and further embodiments, aspects and advantages of the invention will become apparent by reference to the drawings and by reading the following detailed description.

15

Brief Description of the Drawings

Figure 1 is a diagram of a typical computer in conjunction with which embodiments of the invention may be implemented.

 Figures 2(a) and 2(b) are block diagrams of a computerized system according to one
20 embodiment of the invention.

Figure 3 is a block diagram of one version of a favorite channel list.

Figure 4(a) is a block diagram of one version of a channel banner graphical user interface for managing the list in Figure 3.

Figure 4(b) is a block diagram of an alternate version of a channel banner graphical user interface for managing the list in Figure 3.

5 Figure 5(a) is a block diagram of one version of a favorite channel list graphical user interface displaying a single type of favorite channels from the list in Figure 3.

Figure 5(b) is a block diagram of an alternate version of a favorite channel list graphical user interface displaying mixed types of favorite channels from the list in Figure 3.

10 Figure 5(c) is a block diagram of an another version of a favorite channel list graphical user interface for editing a favorite channel list.

Figure 5(d) is a block diagram of an additional version of a favorite channel list graphical user interface for selecting a different favorite channel list.

15 Figure 6 is a block diagram of one version of an electronic program guide for displaying the favorite channel list currently selected.

Description of the Embodiments

20 In the following detailed description of the embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. These embodiments are described in sufficient detail to enable those skilled in the art to

practice the invention, and it is to be understood that other embodiments may be utilized and that structural, logical and electrical changes may be made without departing from the spirit and scope of the present inventions. The following detailed description is, therefore, not to be taken in a limiting sense, and the scope of the present inventions is defined only by the appended claims. The leading digit(s) of reference numbers appearing in the Figures corresponds to the Figure number.

The embodiments described in the present application can be implemented on a computerized system architecture for an integrated personal computer and television system such as provided by the co-assigned U.S. patent application entitled "Architecture for Convergence Systems" co-filed herewith and which is incorporated herein by this reference. Hardware components for convergence systems are known and available within the art. For example, the Gateway Destination PC/TV system, available from Gateway 2000, Inc., provides a convergence environment across two primary modes of operation: TV viewing, and PC operation (i.e., such that the system provides TV and PC capability).

Figure 1 is a diagram of a typical computer in conjunction with which embodiments of the invention may be implemented. Computer 110 is operatively coupled to monitor 112, pointing device 114, and keyboard 116. The computerized system provides the hardware component and the software architecture as has been described herein.

Computer 110 includes a processor (preferably, an Intel Pentium processor), random-access memory (RAM) (preferably, at least thirty-two megabytes), read-only

memory (ROM), and one or more storage devices, such as a hard disk drive, a floppy disk drive (into which a floppy disk can be inserted), an optical disk drive, and a tape cartridge drive. The memory, hard drives, floppy disks, etc., are types of computer-readable media. The invention is not particularly limited to any type of computer 110. Computer 110 preferably is a PC-compatible computer running a version of the Microsoft Windows operating system. The construction and operation of such computers are well known within the art.

Computer 110 includes integrated therein or coupled thereto hardware to provide for what is known as the art as a "convergence environment" such that computer 110 provides capability beyond ordinary PC operation. Such capability preferably including TV capability. For example, the Gateway Destination PC/TV system, available from Gateway 2000, Inc., provides a convergence environment across two primary modes of operation: TV viewing, and PC operation. Computer 110 desirably provides for integration with or includes audio/video (i.e., multimedia) devices including but not limited to: a sound card, a digital video disc (DVD) player, a direct broadcast satellite (DBS) receiver, a TV tuner (for broadcast and/or cable TV), audio/video inputs for external or auxiliary devices, a CD-ROM player, an audio/video tuner having at least radio tuning capability, a cable decoder, a video cassette recorder, a laser disc player, a compact disc player, a DBS integrated receiver-decoder (IRD), and a video camera.

Computer 110 may also be communicatively connected to the Internet in any particular manner, by which the invention is not limited to and which is not shown in

Figure 1. Internet connectivity is well known within the art. In one embodiment, the computer includes a modem and corresponding communication drivers to connect to the Internet via what is known in the art as a "dial-up connection." In another embodiment, the computer includes an Ethernet or similar hardware card to connect to a local-area network (LAN) that itself is connected to the Internet via what is known in the art as a "direct connection" (e.g., T1 line, etc.). In further embodiments, the computer may be connected to the Internet using a cable modem or satellite Internet connectivity.

Monitor 112 permits the display of information, including computer, video and other information, for viewing by a user of the computer. The invention is not limited to any particular monitor 112 or display device. Such monitors include cathode ray tube (CRT) displays, as well as flat panel displays such as liquid crystal displays (LCD's). The monitor is, however, desirably a 31" VGA monitor. Pointing device 114 permits the control of the screen pointer provided by the graphical user interface of operating systems such as versions of Microsoft Windows. The invention is not limited to any particular pointing device 114. Such pointing devices include mice, touch pads, trackballs, remote controls and point sticks. Finally, keyboard 116 permits entry of textual information into computer 110, as known within the art, and the invention is not limited to any particular type of keyboard. Desirably, keyboard 116 is a wireless keyboard.

Electronic Program Database List

The present invention identifies a computerized system for managing and displaying favorite internet channels together with favorite broadcast channels in an electronic program database list. The electronic program database list can be organized as a user's
5 list of favorite channels or a predefined list of favorite channels. The electronic program database list can also be a program guide list of channels available on the convergence system. Alternate embodiments having different electronic program database lists are contemplated and are within the scope of this invention.

The computerized system ("the system") manages one or more electronic program
10 database lists. The lists are organized by source or type or organized by a mixture of source and type. In other words, the system can store internet channels apart from television channels in separate electronic program database lists or the system can display a mixture of internet channels and television channels together in the same list. The system has graphical user interfaces for selecting a list, adding a list, removing a
15 list, adding channels to a list, removing channels from a list and editing lists.

Integrated Internet and Television Channels

Figures 2(a) and 2(b) are block diagrams of a computerized system according to one embodiment of the invention. In Figure 2(a) a television channel list 200 maintains a database of television channels available to the system. Each one of the television
20 channels is associated with a device that provides the television channel content. The device may be, but is not limited to, NTSC broadcast channels, logical MPEG 2

transport streams for direct broadcast satellite (DBS) and digital television (DTV), cable television channels and Multi-channel, Multi-point Distribution Service (MMDS) channels.

5 An internet channel list 202 maintains a database of internet channels available to the system. The internet channels are associated with an additional set of devices that provide the internet channel content. The additional devices may include, but are not limited to, internet service providers and logical MPEG transport streams.

10 An electronic program database list 204 stores a set of channels. Each set of channels is referred to throughout this application as a channel list. The channel list can contain television channels only, internet channels only, or both television channels and internet channels integrated in the same channel list. The channel lists also contain electronic content guide properties such as one or more graphical attributes and one or more behavioral attributes. In one embodiment, list 200 and list 202 are not separate physically, but rather are part of database 204.

15 In one embodiment the channel list is a list of favorite channels, also referred to as a favorite channel list. The favorite channel list may be either a predefined set of channels or a user-defined set of channels. For example, favorite channels organized by theme or usage are provided for in the co-assigned U.S. patent application entitled "System for Managing Favorite Channels" co-filed herewith and which is incorporated
20 herein by this reference.

In Figure 2(b) an electronic program database 206 maintain a set of channels. A

favorite channel list database maintains a set of channel lists. In one embodiment a favorite channel list database is external to the EPG database 206 and identifies a subset of the channels found in the EPG database 206. Note shown in Figure 2(b) is a favorite services component, that maintains a favorite channel list database.

5 Graphical User interfaces 208 allow the user to edit the channel lists and the electronic program database. Two graphical user interfaces are a channel banner graphical user interface 210 and a favorites list graphical user interface 212.

Another graphical user interface 208 is an electronic program guide (EPG) 214 displaying the currently selected channel list and the events and content available on
10 those channels. The EPG display provides a program grid having a plurality of sources available along one axis and a plurality of events and a corresponding time along another axis. The sources available include internet sources as well as broadcast sources.

The electronic program guide also provides one or more management functions for
15 managing the channel lists. For example, these functions display secondary menus for selecting a channel list, adding a channel list or editing a channel list. Alternate embodiments having different graphical user interfaces are contemplated and within the scope of the invention.

Graphical attributes and behavioral attributes of the electronic program guide change
20 when the currently selected channel list changes. The graphical and behavioral attributes stored in the channel list determine a particular graphical user interface for the

channel list when displayed in the electronic program guide. The graphical user interface may include graphical attributes such as the color of buttons, backgrounds and text. The graphical user interface may also include behavioral attributes such as the ordering of channels when the list of channels is displayed. For example, when a particular favorite channel list is selected, the channel ordering and parental rating locks may change based on the stored graphical and behavioral attributes.

Figure 3 is a block diagram of one version of a favorite channel list integrating television channels and internet channels as well as storing electronic content guide properties. The version in Figure 3 is a favorite channel list database storing favorite channel lists. Three favorite channel lists 300, 302, 304 are represented in Figure 3. Favorite list number 03 304 is identified by the name Jorge 306 and includes a mixture of both television channels and internet channels. For example, channel-1 308 and channel-3 310 are television channels while channel-2 312 is an internet channel. The electronic content guide properties contained in favorite channel list 03 304 include theme 314, language 316, parental locks 318, and channel order 320. For example, the channel order behavioral attribute is "999 to 1" 322. This behavioral attribute means when favorite list number 03 304 is displayed, the channels will be displayed in reverse order from the highest channel number to the lowest channel number.

Channel Banner Graphical User Interface

Figure 4(a) is a block diagram of one version of the channel banner for managing the favorite channel list database in Figure 3. The channel banner 400

provides a control 402 for adding the current channel to the currently selected favorite list. The channel banner also provides a control for removing the current channel from the currently selected favorite list.

Figure 4(b) is a block diagram of an alternate version of the channel banner for managing the favorite channel database in Figure 3. For systems having multiple favorite channel lists or not supporting a current favorite list, the channel banner 400 displays a secondary menu 404 for selecting the desired favorite list to which the current channel is to be added or removed.

Favorite Channel List Graphical User Interface

The favorite channel list graphical user interface displays either a single type of favorite channels or a mix of types of favorite channels. Figure 5(a) is a block diagram of one version of a favorite channel graphical user interface ("favorite channel list GUT") for managing the favorite channel list database in Figure 3. The favorite channel list GUI of Figure 5(a) displays a single type of favorite channels from the favorite channel list database in Figure 3. Favorite channel list Fav-1 520 displays only favorite television channels. For example, favorite channel list Fav-1 520 includes the television channels PBS 522, FOX 524, NBC 526, ABC 528, CBS 530 and a second channel PBS 532. Favorite channel list Fav-2 536 displays only favorite internet channels. For example, favorite channel list Fav-2 536 includes the internet channels for PBS 538, FOX 540, NBC 542, the Discovery channel (DISC) 544, CNN 546 and Hotwired (HTWD) 548. Both favorite channel list Fav-1 520 and Fav-2 536 display a More

control 534, 550 indicating that additional channels are available in each list. Thus, the favorite channel lists in Figure 5(a) display only a single type of favorite channels, that is only television channels or only internet channels, in each favorite channel list.

Figure 5(b) is a block diagram of an alternate version of a favorite channel list GUI displaying mixed types of favorite channels from the favorite channel list database in Figure 3. The favorite channel list GUI of Figure 5(b) displays both television channels and internet channels in the same favorite channel list. Favorite channel list Fav-1 560 displays the integrated channels in the same favorite channel list. For example, favorite channel list Fav-1 560 includes the a PBS television channel 562 followed by a PBS internet channel 564, a FOX television channel 566 followed by a FOX internet channel 568, and a NBC television channel 570 followed by a NBC internet channel 572.

Alternatively, favorite channel list Fav-2 576 in Figure 5(b) displays the integrated channels with the television channels appearing first followed by the internet channels. For example, favorite channel list Fav-2 576 first displays the television channels for PBS 578, FOX 580, and NBC 582 then displays the internet channels for PBS 584, FOX 586, and NBC 588. Both favorite channel lists in Figure 5(b), Fav-1 560 and Fav-2 576, display a More control 574, 590 indicating that additional channels are available in each list. Thus, the favorite channel lists in Figure 5(b) display both television channels and internet channels integrated in a single favorite channel list.

Figure 5(c) is a block diagram of an another version of a favorite channel list GUI. The favorite channel list GUI provides functions for editing a favorite channel list from

the favorite channel list database in Figure 3. In addition to the More control 592, the favorite channel list GUI in Figure 5(c) includes an Add control 594 and an Edit control 596. The Add control 594 allows the user to add a television channel or an internet channel to the currently selected favorite channel list. The Edit control 596 allows the user to edit the currently selected favorite channel list. For example, the user can edit the graphical or behavioral attributes of the currently selected favorite channel list using the Edit control 596. Thus, the favorite channel list GUI includes additional controls for adding the current channel to the favorite channel list and editing the favorite-channel list. Alternate embodiments providing additional controls, such as a control for removing the current channel from the favorite channel list, are also contemplated and are within the scope of this invention.

Figure 5(d) is a block diagram of an additional version of a favorite channel list GUI. The favorite channel list GUI provides functions for selecting a different favorite channel list from the favorite channel database in Figure 3. The favorite channel list GUI in Figure 5(d) includes Fav-2 list access 597 and Fav-3 list access 598 allowing the user to edit additional lists. Thus, the favorite channel list GUI in Figure 5(d) allows the user to select other favorite channel lists.

Electronic Program Guide with Integrated Channels

Figure 6 is a block diagram of one version of an electronic program guide (EPG) for displaying the channel list currently selected and events or content available on each channel. The EPG displays information in the form of a program grid. The program

grid displays a plurality of sources available along one axis and a plurality of events and a corresponding time for each one of the events along another axis. The sources available include internet sources as well as television sources. For example, in Figure 6 the identifier for currently displayed favorites list is located in the top left corner. In this case the identifier is Fav-1 602.

The sources available in list Fav-1 602 are listed vertically along the left edge of the EPG display. For example, the sources available in the list Fav-1 602 include a PBS television channel 604, a PBS internet channel 606, a FOX television channel 608, a FOX internet channel 610, a NBC television channel 612 and a NBC internet channel 614. At the bottom of the list of sources is the control More 616 to view additional channels in the favorite channel list Fav-1 602.

In Figure 6 the events on each channel are listed horizontally following each channel identifier. The corresponding time for each one of the events is listed horizontally along the top of the EPG in a time bar 618. The time bar 618 is shown in thirty minute increments. For example, the television channel PBS 604 has two one-hour events. Event1 620 begins at 7:00 AM and Event2 622 begins at 8:00 AM. The internet channel PBS 606 has a single event 624. Internet channel event field is left open if the content of the internet channel does not have scheduled events. It is contemplated and within the scope of the invention that as internet channels such as internet web sites host more scheduled activities the event field will describe the content of the scheduled activity. For instance, the event field may describe a chat session at a particular time

and on a particular topic. One manner of determining the content of internet channel is to use the information in the internet web page header.

In Figure 6 the EPG also provides functions for managing favorite lists. These functions are displayed in a secondary menu 640. The secondary menu 640 provides
5 functions for selecting a favorite list, creating a favorite list or editing a favorite list.

The currently selected favorite channel list may change the graphical or behavioral attributes of the EPG in Figure 6. For example, when different favorite channel list is selected, the channel ordering and parental rating locks may change based on properties stored in the selected favorite channel list.

10 Other mechanisms for integrating television channels and internet channels in an electronic program database list will be apparent to those skilled in the art. It is to be understood that the above description is intended to be illustrative, and not restrictive. Many other embodiments will be apparent to those of skill in the art upon reviewing the above description. The scope of the invention should, therefore, be determined with
15 reference to the appended claims, along with the full scope of equivalents to which such claims are entitled.

What is claimed is:

1. An information handling system, comprising:
5 a graphical user interface;
wherein the graphical user interface is configured to display a channel list
including at least one television channel and at least one internet channel concurrently.
2. The information handling system of claim 1, wherein the channel list is a
10 favorite channels list.
3. The information handling system of claim 1, wherein the graphical user
interface includes an electronic program guide configured to display the channel list.
- 15 4. The information handling system of claim 1, further comprising an electronic
program database for storing the channel list.
5. The information handling system of claim 1, further comprising a convergence
20 system which includes the information handling system.

6. A computerized system for integrating internet sources into an electronic program database comprising:

one or more television channels;

one or more internet channels;

5 one or more channel lists integrating the television channels and the internet channels; and

a means for storing each one of the channel lists.

7. The computerized system of claim 6, further comprising a means for
10 displaying a selected one of the channel lists wherein each one of the channel lists contains one or more stored properties for the means for displaying.

8. The computerized system of claim 7, wherein at least one of the stored properties relates to a graphical attribute of the means for displaying.
15

9. The computerized system of claim 7, wherein at least one of the stored properties relates to a behavioral attribute of the means for displaying.

10. The computerized system of claim 6, further comprising one or more user
20 interfaces providing a means for managing for each one of the channel lists.

11. The computerized system of claim 10, wherein the user interfaces provide a management function of selecting the channel list.
12. The computerized system of claim 10, wherein the user interfaces provide at least one of the management functions selected from the group consisting of: adding the television channel, adding the internet channel, removing the television channel, and removing the internet channel.
13. The computerized system of claim 10, wherein the graphical user interface is a channel banner graphical user interface.
14. The computerized system of claim 10, wherein the graphical user interface is a favorite channel list graphical user interface.
15. A computer-readable medium having computer-executable components comprising:
- a database component for storing one or more channel lists, at least one of the channel lists integrating one or more television channels and one or more internet channels; and
 - a user interface component for displaying the channel lists.

16. The computer of claim 15, wherein the computer-readable medium comprises a memory.

17. A computer comprising:

5

a processor;

a computer-readable medium;

a display device; and

at least one application program, each application program executed by the processor from the computer readable medium to provide one or more channel lists for viewing on the display device wherein the channel lists integrate one or more television channels and one or more internet channels.

10

18. The computer of claim 17, wherein the computer-readable medium comprises a memory.

15

19. A method of integrating sources in a convergence system, the method comprising the steps of:

including at least one television channel and at least one internet channel concurrently in a channel list;

20

storing the channel list in a database; and

displaying on a display device the channel list.

20. An information handling system, comprising:
- a graphical user interface;
- 5 wherein the graphical user interface is configured to display a channel list including at least one television channel and at least one internet channel concurrently, wherein the channel list includes graphical and behavioral attributes to determine the graphical user interface for the channel list when displayed in an electronic program guide.




FIG. 1

SUBSTITUTE SHEET (RULE 26)

2/7




FIG. 2A




FIG. 2B

3/7

300		<table><tr><td>NUMBER</td><td>01</td></tr><tr><td>NAME</td><td>NETWORKS</td></tr><tr><td>CHANNEL-1</td><td>TV-01</td></tr><tr><td>CHANNEL-2</td><td>TV-03</td></tr><tr><td>CHENNEL-3</td><td>TV-13</td></tr><tr><td>--</td><td>VALUE</td></tr><tr><td>THEME</td><td>CHROME</td></tr><tr><td>LANGUAGE</td><td>US ENGLISH</td></tr><tr><td>PARENTAL LOCKS</td><td>NONE</td></tr><tr><td>CHANNEL ORDER</td><td>1 TO 999</td></tr><tr><td>--</td><td>VALUE</td></tr></table>	NUMBER	01	NAME	NETWORKS	CHANNEL-1	TV-01	CHANNEL-2	TV-03	CHENNEL-3	TV-13	--	VALUE	THEME	CHROME	LANGUAGE	US ENGLISH	PARENTAL LOCKS	NONE	CHANNEL ORDER	1 TO 999	--	VALUE	
NUMBER	01																								
NAME	NETWORKS																								
CHANNEL-1	TV-01																								
CHANNEL-2	TV-03																								
CHENNEL-3	TV-13																								
--	VALUE																								
THEME	CHROME																								
LANGUAGE	US ENGLISH																								
PARENTAL LOCKS	NONE																								
CHANNEL ORDER	1 TO 999																								
--	VALUE																								
302		<table><tr><td>NUMBER</td><td>02</td></tr><tr><td>NAME</td><td>USSB</td></tr><tr><td>CHANNEL-1</td><td>TV-900</td></tr><tr><td>CHANNEL-2</td><td>TV-901</td></tr><tr><td>CHENNEL-3</td><td>TV-902</td></tr><tr><td>--</td><td>VALUE</td></tr><tr><td>THEME</td><td>JUNGLE</td></tr><tr><td>LANGUAGE</td><td>US ENGLISH</td></tr><tr><td>PARENTAL LOCKS</td><td>PG-13</td></tr><tr><td>CHANNEL ORDER</td><td>1 TO 999</td></tr><tr><td>--</td><td>VALUE</td></tr></table>	NUMBER	02	NAME	USSB	CHANNEL-1	TV-900	CHANNEL-2	TV-901	CHENNEL-3	TV-902	--	VALUE	THEME	JUNGLE	LANGUAGE	US ENGLISH	PARENTAL LOCKS	PG-13	CHANNEL ORDER	1 TO 999	--	VALUE	
NUMBER	02																								
NAME	USSB																								
CHANNEL-1	TV-900																								
CHANNEL-2	TV-901																								
CHENNEL-3	TV-902																								
--	VALUE																								
THEME	JUNGLE																								
LANGUAGE	US ENGLISH																								
PARENTAL LOCKS	PG-13																								
CHANNEL ORDER	1 TO 999																								
--	VALUE																								
304		<table><tr><td>NUMBER</td><td>03</td></tr><tr><td>NAME</td><td>JORGE</td></tr><tr><td>CHANNEL-1</td><td>TV-01</td></tr><tr><td>CHANNEL-2</td><td>WEB-01</td></tr><tr><td>CHANNEL-3</td><td>TV-12</td></tr><tr><td>--</td><td>VALUE</td></tr><tr><td>THEME</td><td>MARBLE</td></tr><tr><td>LANGUAGE</td><td>SPANISH</td></tr><tr><td>PARENTAL LOCKS</td><td>PG-13</td></tr><tr><td>CHANNEL ORDER</td><td>999 TO 1</td></tr><tr><td>--</td><td>VALUE</td></tr></table>	NUMBER	03	NAME	JORGE	CHANNEL-1	TV-01	CHANNEL-2	WEB-01	CHANNEL-3	TV-12	--	VALUE	THEME	MARBLE	LANGUAGE	SPANISH	PARENTAL LOCKS	PG-13	CHANNEL ORDER	999 TO 1	--	VALUE	
NUMBER	03																								
NAME	JORGE																								
CHANNEL-1	TV-01																								
CHANNEL-2	WEB-01																								
CHANNEL-3	TV-12																								
--	VALUE																								
THEME	MARBLE																								
LANGUAGE	SPANISH																								
PARENTAL LOCKS	PG-13																								
CHANNEL ORDER	999 TO 1																								
--	VALUE																								
308			306																						
312																									
310																									
314																									
316																									
318																									
320			322																						

FIG. 3

SUBSTITUTE SHEET (RULE 26)

4/7




FIG. 4A




FIG. 4B

SUBSTITUTE SHEET (RULE 26)




FIG. 5A




FIG. 5B




FIG. 5D




FIG. 5C

7/7

FAV-1	X	7:00 am	7:30 am	8:00 am	8:30 am
02 PBS		EVENT 1		EVENT 2	
WWW PBS		EVENT			
04 FOX		EVENT	EVENT	EVENT	
WWW FOX		EVENT		EVENT	
07 NBC		EVENT			
WWW NBC		EVENT			
MORE		Select List	Add to List	Locks	Review

FAV-1	X	7:00 am	7:30 am	8:00 am	8:30 am
02 PBS		EVENT 1		EVENT 2	
WWW PBS		EVENT			
04 FOX		EVENT			
WWW FOX		EVENT			
07 NBC		EVENT			
WWW NBC		EVENT			
MORE		Select List	Add to List	Locks	Review

☒ X
 All Channels
 Fav-1 Edit
 Fav-2 Edit
 Fav-3 Edit
 Create Fav List

FIG. 6

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00113

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04N7/16 H04N5/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	WO 97 28499 A (AWARD SOFTWARE INTERNATIONAL I) 7 August 1997 see page 9, line 14 - line 25 see page 10, line 31 - page 11, line 8 see page 12, line 1 - page 13, line 18 ---	1-3, 5-8, 15-18, 20 10-14
X A	WO 97 49237 A (STARSIGHT TELECAST INC) 24 December 1997 see page 5, line 6 - line 11 see page 7, line 3 - line 6 see page 11, line 1 - line 14 see page 14, line 24 - line 30 --- -/--	6, 10, 11, 14-18 2-5

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

23 April 1999

Date of mailing of the international search report

03/05/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Sindic, G

INTERNATIONAL SEARCH REPORT

Inter. Appl. No.

PCT/US 99/00113

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>"PERSONAL TELEVISION SCHEDULE SERVICE"</p> <p>IBM TECHNICAL DISCLOSURE BULLETIN, vol. 39, no. 8, August 1996, pages 237-244, XP000638200</p> <p>see page 238, paragraph 2 - paragraph 7</p> <p>see page 239, paragraph 2</p> <p style="text-align: center;">---</p>	10-14
A	<p>THRIFT P ET AL: "JTV - Java-enabled Television"</p> <p>PROCEEDINGS OF THE SPIE, vol. 3228, 4 November 1997, pages 117-122, XP002090497</p> <p>see page 120, paragraph 10 - page 121, paragraph 6</p> <p style="text-align: center;">---</p>	1,3-6, 10,15-18
A	<p>WO 97 31476 A (PERKES RONALD M)</p> <p>28 August 1997</p> <p>see page 1, line 19 - page 2, line 1</p> <p style="text-align: center;">-----</p>	1,5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/00113

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9728499 A	07-08-1997	EP 0877980 A	18-11-1998
WO 9749237 A	24-12-1997	AU 3398997 A	07-01-1998
		CA 2228391 A	24-12-1997
		CN 1198285 A	04-11-1998
		EP 0845188 A	03-06-1998
WO 9731476 A	28-08-1997	AU 2327697 A	10-09-1997

THIS PAGE BLANK (USPTO)